



## Aspects of land surface hydrology in the NMME

Huug van den Dool and Emily Becker Climate Prediction Center (CPC)

Acknowledgements: Qin Zhang, Suranjana Saha, Malaquias Pena and many others.





### Lets talk SST

- Suppose we know that the Pacific SST has an impact over the US. How do we take predictive advantage of that knowledge in a modeling approach?
- Make sure the model has the appropriate mechanisms
- Make sure we initialize models correctly
- Let us thank Nature for providing such things as El Nino and La Nina for our test grounds
- Now apply the above to the land surface





	<b>Hindage</b>	) 1		Model resid						
	Hindcast	Situation	LICAL	<b>\ 1</b>		Resolutions				
	Start months available NOW	Period	Members	Arrangement of Members	Lead (months)	Atmosphere	Ocean	Reference		
NCEP- CFSv1	12	1981- 2009	15	1st 0Z +/-2days, 11th 0Z+/-2d, 21st 0Z+/-2d	0-9	T62L64	MOM3L40 0.30 deq Eq		NCEP- CFSv1	
NCEP- CFSv2	12	1982- 2010	24(28)	4 members (0,6,12,18Z) every 5th day	0-9	T126L64	MOM4 L40 0.25 deg Eq	Saha et al	NCEP- CFSv2	
GFDL- CM2.1	12	1982- 2010	10	All 1st of the month 0Z	0-11	2x2.5deg L24	MOM4 L50 0.25 deg Eq	Delworth et al 2006	GFDL- CM2.1	
IRI- Echam4-f	12	1982- 2010	12	All 1st of the month**	0-7	T42L19	MOM3 L25 0.5 deg Eq		IRI- Echam4-f	
IRI- Echam4-a	12	1982- 2010	12	All 1st of the month**	0-7	T42L19	MOM3 L25 0.5 deg Eq	"	IRI- Echam4-a	
NCAR- CCSM3.0	12	1982- 2010	6	All 1st of the month**	0-11	T85L26	POP L40 0.3 deg Eq	Kirtman and Min 2009	NCAR- CCSM3.	
NASA	12	1981- 2010	6	1 member every 5th day as CFSv2	0-9	1x1.25deg L72	MOM4 L40 0.25 deg Eq	Rienecker et al 2008	NASA	





	Hindcast Situation YEAR 2					Model resident Resolutions				
		months able NOW	Period	Members	Arrangement of Members	Lead (months)	Atmosphere	Ocean	Reference	
NCEP- CFSv1	12		1981- 2009	15	1st 0Z +/-2days, 11th 0Z+/-2d, 21st 0Z+/-2d	0-9	T62L64	MOM3L40 0.30 deq Eq	Saha et al 2006	NCEP- CFSv1
NCEP- CFSv2	12		1982- 2010	24(28)	4 members (0,6,12,18Z) every 5th day	0-9	T126L64	MOM4 L40 0.25 deg Eq	Saha et al 2010	NCEP- CFSv2
GFDL- CM2.1	12		1982- 2010	10	All 1st of the month 0Z	0-11	2x2.5deg L24	MOM4 L50 0.30 deg Eq	Delworth et al 2006	GFDL- CM2.1
CMC1- CanCM3	12		1981- 2010	10	All 1st of the month 0Z	0-11	CanAM3 T63L31	CanOM4 L40 0.94 deg Eq	Merryfield et al 2012	CMC1
CMC2- CanCM4	12		1981- 2010	10	All 1st of the month 0Z	0-11	CanAM4 T63L35	CanOM4 L40 0.94 deg Eq	Merryfield et al 2012	CMC2
NCAR- CCSM3.0	12		1982- 2010	6	All 1st of the month**	0-11	T85L26	POP L40 0.3 deg Eq	Kirtman and Min 2009	NCAR- CCSM3.0
NASA	12		1981- 2010	6	1 member every 5th day as CFSv2	0-9	1x1.25deg L72		4 Rienecker et al 2008	NASA






## Land surface hydrology

• Do we have the mechanism for feedback onto the atmosphere in these models?

• Do we know how to initialize in particular cases?


- 1-mon lagged correlation between precip and temp turns out to be negative
- Dry July → warm Aug; Wet July → cool Aug


Huang &VdDool paper 1993 paper: CD data 1931-1987





Monthly Precipitation-Temperature Relations and Temperature Prediction over the United States


JIN HUANG AND HUUG M. VAN DEN DOOL
















Climate Diagostics and Prediction Workshop College Park, MD



Workshop College Park, MD









### Soil Moisture as Initial Condition in NMME

- SM is one of the 5 extra phase I variables. SM is advertised to matter for seasonal prediction in the warm half of the year.
- Have yet to agree on units in practice
- Real time display in place (May starts)
- IC=about May 1, 2013.
- Forecast refers to June 2013












We borrow the color coding from CPC Leaky Bucket's SM.

These are anomalies in mm. Anomaly is a matter of historical perspective. Climo=1981-2010. Typically ~50mm.











## **Conclusions**

- Most models appear to feed back onto surface air temperature (via evaporation) with the correct sign and seasonality, but somewhat stronger than 'nature'.
  GFDL much too strong.
- Almost all models (CFSv2 especially) have major problems initializing soil moisture anomalies.
- 1+2: We have a long way to go to take advantage of any surface hydrology related predictability (such as it is).
- And by the way: there is no ENSO as test case in hydrology.





# For your one stop shopping for NMME and IMME products, visit

http://www.cpc.ncep.noaa.gov/products/NMME/

1800 jpegs a month!



## **Definitions and Data**



- AC of ensemble averaged monthly means
- GHCN-CAMS (validation for Tmp2m)
- CMAP (validation for Prate)
- OIv2 (validation for SST)
- 1982-2009 (28 years)
- Common 2.5 degree grid
- Variables/areas studied: US T, US P, global and Nino34 SST, global and Nino34 Prate.
- <u>A split climatology</u>: Two climos used for all variables within tropics

30S-30N: 1982-1998 and 1999-2009

Elsewhere: 1982-2009





### **Definitions and Data**

- Anomaly Correlation of ensemble averaged monthly means
- Variables/areas studied: global SST, Precipitation and land 2-meter temperature.
- GHCN-CAMS (validation for T2m)
- CMAP (validation for Prate)
- QD-OISST (validation for SST)
- 1982-2009 (28 years)
- Common 1.0 degree grid